

2022 Winter Specials

Quarterly Special valid from January 1st – March 31st, 2022

High-flex Ethernet cordsets 600 V Cable tray rated Ethernet cordsets

The increased complexity of automated processes is driving demand for network cables that can do more in a limited amount of space. Ethernet cables and cordsets can be run next to power circuits, have Power over Ethernet (PoE) capability, and have increased longevity in demanding industrial and robotic applications.



4-pos. D-code	Order No.	Configuration	Length	Promo Price
	1192155	Male Straight / Male Straight	0.5 M	\$28.50
	1192154		2 M	\$33.50
	1192152		5 M	\$37.50
	1192151		10 M	\$55.00
	1192140	Male Straight / RJ45 Straight	0.5 M	\$26.85
	1192139		2 M	\$31.50
	1192138		5 M	\$40.25
	1192137		10 M	\$56.00

Features

- ✓ Lateral flex bend cycles: Up to 20 million cycles
- ✓ Torsional flex cycles: Up to 4.8 million cycles
- ✓ Voltage rating (cable jacket): 600 V
- ✓ Wire size: 24 AWG
- ✓ Shielding style: SF/UTP
- ✓ Temperature range: -40° to 80°C
- ✓ Category CAT5 (IEC 11801), up to 1 Gbps
- ✓ UV-resistant CMX outdoor
- ✓ Resistant to welding splashes

Fuse Terminal Block

UK 10,3 HESI

Fuse modular terminal block, for Midget fuse.
 Connection method: Screw connection, NS 35/7,5, NS 35/15.
 Up to 30A with 13/32" x 1-1/2" (10.3 x 38 mm) fuse.

Features

- ✓ 30A-600V
- ✓ CSA approved
- ✓ AWG: 16-4



Product Description	For Midget fuse	For midget fuse with LED (110-600V)	For midget fuse with LED (12-72V)
Description	UK 10,3 HESI N	UK 10,3 HESILED N 690	UK 10,3 HESILED N 72
Current Rating	30A	30A	30A
Order No.	3048386	3048399	3048661
Promo Price	\$8.75	\$16.00	\$16.00

Connection pin for 2 pole configuration

	Description	VS-UK 10,3-HESI N 2 POL
	Order No.	3048532
	Promo Price	\$0.85

Connection pin for 3 pole configuration

	Description	VS-UK 10,3-HESI N 3 POL
	Order No.	3048409
	Promo Price	\$0.68

The RIGHT tools for your on the GO needs!

TOOLfox

CRIMPFOX 4IN1 SET \$290 1200102 Tool for processing ferrules according to DIN 46228-4, 0.5 mm ² to 2.5 mm ² 	TOOL WRAP \$275 1212505 Tool carry case wrap, equipped with: cable cutter, diagonal cutter, combination and needle-nose pliers. VDE screwdriver bladed: 0.4x2.5/0.5 x3.0/1.0x4.0/1.0x5.5 crosshead: PH0/PH1/PH2. Voltage tester 	TOOL-KIT STANDARD \$315 1212422 Tool kit, consisting of: crimping pliers for ferrules, stripping pliers, sheath stripping tool, cable cutter, bladed screwdriver: 0,6x3,5, tool organizer. 	CRIMPSET 6 \$399 1202072 Assortment box, metal, supplied with ferrules acc. to DIN 46228-4: 1990-09, 500 pcs.
TOOL SET ALLROUND 2 \$275 1208843 Articles in set: Cable-cutting tool CUTFOX 12 - 1212128 Stripping tool WIREFOX 10 - 1212150 Crimping pliers CRIMPFOX 10S - 1212045 Rugged and heavy-duty tool case 	TOOL-SET ALLROUND 3 \$230 1208953 Articles in set: Stripping tool WIREFOX 10 - 1212150. Crimping pliers CRIMPFOX 6S-F - 1212043. Range box AI SORTI BOX RD - 3202960. Screwdriver SZF 1-0.6X3,5 - 1204517. Rugged and heavy-duty tool case 	SF-ASD 16 SET \$150 1200295 Battery-powered screwdriver set. incl. case, battery, charging device 100 ... 240 V, 2 bits, two-speed gearbox, forward/reverse running and 16-stage clutch up to 450 rpm, hexagonal fast connection. 	AI SORTI BOX RD \$30 ea. 3202960 AI SORTI BOX BU \$30 ea. 3202986 Assortment box, supplied with ferrules according to DIN 46228-4: 1990-09, 50 pcs.

Analog Signal Isolation & Conversion MINI PRO

Safely isolate and/or convert analog field signals in applications commonly found in temperature or level-sensing applications with our industry-leading signal conditioners. Analog signal conditioners are offered in narrow, feature-rich versions for standard applications, as well as versions for installation in hazardous and explosive environments.



	Configurable for Standard Analog signals		Signal Duplicator		RTD		Thermocouple	
Description	MINI MCR-2-UI-UI-PT	MINI MCR-2-UI-UI	MINI MCR-2-UI-2UI-PT	MINI MCR-2-UI-2UI	MINI MCR-2-RTD-UI-PT	MINI MCR-2-RTD-UI	MINI MCR-2-TC-UI-PT	MINI MCR-2-TC-UI
Connection	Push In	Screw	Push In	Screw	Push In	Screw	Push In	Screw
Order No.	2902040	2902037	2905028	2905026	2902052	2902049	2905249	2902055
Promo Price	\$260.00	\$260.00	\$303.00	\$303.00	\$247.00	\$247.00	\$247.00	\$247.00

Ethernet surge protection DT-LAN CAT 6+

Protect your sensitive Ethernet based communication devices against transients up to 10kA with the DT-LAN-CAT6+.

\$125

Features and Benefits

- ✓ Suitable for Category 6 speeds up to 10 Gbps
- ✓ Protection for 8 signal paths via RJ45 connector
- ✓ Class E_A/CAT6_A
- ✓ PoE and ISDN S⁰ protection
- ✓ Remove ground connection adaptor for easy DIN rail installation



Order No.	Description	Promo Price
2881007	DT-LAN-CAT.6+	\$125.00



Touch panels with Visu+

The next generation of HMI devices

The TP 6000 product family is a flexible platform for HMI applications with various display sizes. All panels have Visu+ Runtime preinstalled. Existing Visu+ projects can be used directly on the TP 6000 panels without any changes.

Main features

- ARM® Cortex® A9 1.2 GHz quad-core CPU
- Windows Embedded Compact 7
- PCAP multi-touch

Order No.	Description	Display Size	Resolution	Promo Price
1189629	TP 6070- WVPS	7.0"	WVGA (800*480)	\$1,277.60
1190417	TP 6101-WXPS	10.1"	WXGA (1280*800)	\$1,728.00
1190420	TP 6121-WXPS	12.1"	WXGA (1280*800)	\$1,879.20
1190421	TP 6156-WXPS	15.6"	WXGA (1366*768)	\$2,102.40
1190423	TP 6185-WXPS	18.5"	WXGA (1366*768)	Coming soon
1190424	TP 6215-WHPS	21.5"	FHD (1920*1080)	Coming soon



Your advantages

- ✓ Robust industrial grade glass front
- ✓ Visu+ Runtime available in all devices
- ✓ Native communication drivers for direct communication with most PLC and device manufacturer products on the industrial market
- ✓ Powerful quad-core processor for rapid response and refresh times
- ✓ Remote data access via Visu+ Mobile and HTML5 web client

PLD enclosure lights

Optimum illumination, quickly installed

PLD enclosure lights provide optimum lighting for your control cabinet, even at the very bottom of the cabinet, and are easy to install.

Order No.	Description	Qty	Promo Price
1319569	PLD E 409 W 350	20	\$125.00
1319573	PLD E 409 W 350 MS	20	\$135.00

The prismatic integrated into the light cover ensures optimum illumination of the control cabinet.



You can use magnets or screws to affix the light holder. The light can swivel in the holder. Connect the supply voltage to the light via Push-in connection. You do not require special connectors for this. You can connect several lights in succession. A button is used to switch the light on and off.



Your advantages

- ✓ Optimum illumination of the entire control cabinet with high-quality optics
- ✓ Global use of the 400 class possible with the wide-range input
- ✓ UL approval also permits use on the North American market
- ✓ Series connection saves time with reduced cabling effort
- ✓ Long LED service life eliminates maintenance effort and changing lamps